



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Custom Components and Assemblies

CCA-QM

ISO 9001:2015 Quality Manual

Approval of Document CCA-QM

Joseph Mangelinkx


Quality Manager

7/7/2021

NAME

TITLE

Date

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	1 OF 39
If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.						



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Approval

The signatures below certify that this management system manual has been reviewed and accepted. Demonstrates that the signatories are aware of all the requirements contained herein and are committed to ensuring their provisions.

Description	Name	Signature	Position	Date
Prepared by	Joseph Mangelinkx		Quality Manager	
Reviewed by	Jason Ward		Operations Manager	
Approved by	Mark Cruze		President	

Amendment Record

This quality manual is reviewed to ensure its continuing relevance to the systems and process that it describes. A record of contextual additions or omission is given below:

Rev	Date	Description	Prepared by:	Reviewed by / Approved by	Date
B	9/1/2017	Revised to the ISO 9001:2015 Standard	Cory Norris	Cory Norris / Mark Cruze	9/1/2017
C	7/7/2021	New Template, Named Document Number CCA-QM	Joseph Mangelinkx	Joseph Mangelinkx / Mark Cruze	7/7/2021

Company Proprietary Information


The Electronic Version of this document is the latest revision. It is the responsibility of the individual to ensure that any paper material is the current revision. The printed version of this manual is uncontrolled except when provided with a reference in the field below:

Document Reference:	QMS1
Revision:	C
Uncontrolled Copies:	0
Controlled Copies:	1

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	2 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					

Table of Contents

	<u>Page</u>
1. Scope	05-07
2. References	07
3. Terms and Definitions	07-11
4. About our organization	11-16
4.1 Organizational Context	11-12
4.2 Relevant Interested Parties	12-13
4.3 Quality Management System (QMS)	13
4.4 QMS and Its Processes	13-15
5. Leadership	15-20
5.1 Leadership and commitment	15-16
5.1.1 General	15-16
5.1.2 Customer Focus	16
5.2 Quality Policy	17-18
5.2.1 Establishing the Quality Policy	16-17
5.2.2 Communicating the Quality Policy	17
5.2.3 Quality Policy Statement	17-18
5.3 Roles, Responsibilities and Authorities	18-19
5.4 Communication	19-20
5.4.1 Internal Communication	19-20
5.4.2 External Communication	20
6. Management System Planning	20-22
6.1 Addressing Risks & Opportunities	20-21
6.2 Quality Objectives	21-22
6.3 Planning for Change	22
7. Support	22-25
7.1 Resources	22-25
7.1.1 General	22-23
7.1.2 People	23-24
7.1.3 Infrastructure	24
7.1.4 Operational Environment	24
7.1.5 Organizational Knowledge	25
8. Product & Service Development	26-33
8.1 Operational Planning & Control	26
8.2 Customer Requirements	26-28
8.2.1 Customer Communication	26-27
8.2.2 Determining Requirements	27
8.2.3 Review of Requirements	27

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	3 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

8.2.4	Changes in Requirements	28
8.3	Design & Development	N/A
8.4	Control of Suppliers & External Process	28-29
8.4.1	General	28
8.4.2	Purchasing Controls	29
8.4.3	Purchasing Information	29
8.5	Production & Service Provisions	29-31
8.5.1	Control of Production & Service Provision	29-30
8.5.2	Identification & Traceability	30
8.5.3	3 rd Party Property	31
8.5.4	Preservation	31
8.5.5	Post Delivery Activities	31
8.5.6	Control of Changes	31
8.6	Release of Products & Services	32
8.7	Control of Nonconforming Outputs	32-33
9.	Monitoring, Measurement, Analysis & Evaluation	33-36
9.1	Performance Evaluation	33-34
9.1.1	General	33
9.1.2	Customer Satisfaction	33
9.1.3	Analysis & Evaluation	34
9.2	Internal Audits	34-35
9.3	Management Review	35-36
9.3.1	General	35
9.3.2	Inputs	35
9.3.3	Outputs	36
10.	Improvement	36-37
10.1	General	36
10.2	Nonconformity & Corrective Action	37
10.3	Improvement	37
Appendices		
A.1	Sequence & Interaction of Process	38
A.2	Organization Chart	39


	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	4 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					


1. Scope

1.1 Introduction

- 1.1.1 It is our policy at Custom Components & Assemblies, Inc. hereinafter called CCA, to procure, manufacture and service our customer's products that comply with contractual and regulatory requirements in a controlled, safe, and environmentally conscious manner while constantly aiming to increase efficiency by continuously improving methods and processes.
- 1.1.2 CCA has developed and implemented a quality management system to demonstrate its ability to consistently provide product that meets customer requirements, and to address customer satisfaction through the effective application of the system including continual improvement and prevention of nonconformities.
- 1.1.3 The quality system complies with the International Standard ISO 9001:2015.
- 1.1.4 This manual is divided into sections modeled on the sectional organization of the ISO 9001:2015 standard. Sections are further divided into several subsections representing main quality system processes. Each subsection defines general policies and basic principles for the pertinent quality system process; summarized responsibilities and methods; and references relevant operational procedures and other documents.
- 1.1.5 The purpose of this manual is to define and describe the quality system, to define authorities and responsibilities of the management personnel involved in the operation of the system, and to provide a general description of all processes comprising the quality system.
- 1.1.6 Another purpose of this manual is to present the quality system to customers, suppliers, regulators and interested parties, and to inform them to what specific controls are implemented at CCA to ensure a high level of quality performance.
- 1.1.7 The figure below illustrates our methodology for the development of our QMS, Using the plan, do, check, and act process approach, to implement and deliver management system objectives, stakeholder requirements and environmental compliance.

Figure 1: ISO 9001:2015 QMS & PDCA Interaction



	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	5 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

1.1.1 The Scope of CCA Quality Management System is “CCA provides, manufactures, and assembles a wide range of products for customers in many different industries. It is our responsibility to respond to our customer’s needs and demands by having available stocking programs to lower the need for our customers to have large inventory for commonly used items. CCA provide complete packages utilizing multi-processes. CCA produces components as well as offering sub-assemblies and complete assemblies that are successfully used in a diverse range of industries such as:

- | | |
|-------------------------|-------------------------------|
| Valve Industry | Foam Injection Molds/Fixtures |
| Water Sprinkler Systems | Exercise Equipment |
| Flow Regulation Systems | Transportation Businesses. |
| Power & Gas Sectors | Recreational Businesses. |

1.2 **Application**

1.2.1 The quality management system defined in this manual applies to the manufacture and distribution of machined and fabricated products in accordance with customer requirements.

1.3 **Exclusions**

1.3.1 The quality management system shall be relevant to the nature of CCA.

1.3.2 CCA is **excluded** from clause **8.3 Design and Development** of ISO 9001:2015.

Clause	Justification for Exclusion
Clause 8.3 Design and Development	We exclude design and development from our QMS, as we do not design or develop products. All components are manufactured to the customer requirements and or drawings.

1.3.3 ISO 9001:2015 requirements may be excluded only when the following three conditions are met:

- The requirement must be within ISO 9001:2015 Clause 8, Operation.
- The exclusion may not affect our ability, nor absolve us from the responsibility, to provide product that meets specified requirements.
- The exclusion may not affect the ability to carry out corrective or preventative actions.

1.3.4 Processes which are applicable, but which are performed by outside contractors, do not qualify for exclusion. They are accounted for in the quality system to ensure control over such outsourced processes.

1.3.5 The Operations Manager, or Quality Manager are responsible for identifying those requirements of ISO 9001:2015 that do not apply to CCA. or our product, and to report it to top management that such requirements should be excluded from the scope of the quality system.

1.3.6 Top management evaluates the proposed exclusions and determines whether they are appropriate. The evaluation and approval of the exclusions are conducted within the framework of the management review of the quality system. SOP-002, Management Review.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	6 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

1.3.7 Any exclusion taken is documented in this section of the quality manual. The excluded requirements are precisely identified with reference to specific clauses and/or statements in the ISO 9001:2015 standard. There is also a brief justification why the exclusion is taken and why it is appropriate.


2. References

Reference Documents used for the Quality Management system, testing, production, and inspection.

➤ ISO 9001:2015

3. TERMS AND DEFINITIONS

- 3.1 ACCEPTANCE CRITERIA – The Specified limits placed on the characteristic of an item or process as defined in engineering documents, customer specifications or other standards.
- 3.2 APPROVAL – The act of endorsement and/or the addition of positive authorization by signature (Initials, stamp, name in computer file) and date.
- 3.3 AUDIT – Systematic, independent, and documented process for obtaining audit evidence and evaluating it objectively to determine the extent to which audit criteria are fulfilled.
- 3.4 AUDIT CRITERIA – Set of policies, procedures or requirements used as a reference.
- 3.5 AUDIT CONCLUSION – Outcome of an audit provided by the audit team after consideration of the audit objectives and all audit findings.
- 3.6 AUDIT EVIDENCE RECORDS – Statements of fact or other information which are relevant to the audit criteria and verifiable.
- 3.7 AUDIT FINDING – Results of the evaluation of the collected audit evidence against audit criteria. (NOTE: Audit findings can indicate either conformity or nonconformity with audit criteria, or opportunities for improvement.
- 3.8 AUDIT PROGRAM –Set of one or more audits planned for a specific time frame and directed towards a specific purpose.
- 3.9 AUDIT TEAM – One or more auditors conducting an audit.
- 3.10 AUDITEE – Organization being audited.
- 3.11 AUDITOR – Person with the competence to conduct an audit.
- 3.12 Job Boss – Software program for the CCA operating system. It is a Progression Series that all the computers are networked

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	7 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

- 3.13 CALIBRATION – Comparison of a measurement standard or instrument of known accuracy over its working range with a standard or instrument of known greater accuracy to detect, correlate, or eliminate by adjustment, any variation in the accuracy of the item being compared.
- 3.14 CAPABILITY - Ability of an organization, system, or process to realize a product that will fulfill the requirements for that product.
- 3.15 CHARACTERISTIC – Any property or attribute of an item, process or service that is distinct, describable, and measurable.
- 3.16 CERTIFIED MATERIAL TEST REPORT – A document approved by an authorized company representative that contains sufficient data and information required by our customer. Such data may include the actual results of chemical analysis, heat treatment and/or all specified tests and examinations and that is traceable to a specific lot or batch of material.
- 3.17 COMPETENCE – Demonstrated ability to apply knowledge and skills.
- 3.18 CONCESSION – Permission to use or release a product that does not conform to specified requirements.
- 3.19 CONFORMITY – Fulfillment of a requirement.
- 3.20 CONTINUAL IMPROVEMENT – A recurring activity to increase the ability to fulfill requirements.
- 3.21 CORRECTION – Action taken to eliminate a detected nonconformity.
- 3.22 CORRECTIVE ACTION - Action to eliminate the cause of a detected nonconformity or other undesirable situation (NOTE: There is a distinction between correction and corrective action).
- 3.23 CUSTOMER – The immediate purchaser of a product, which may be the final user or a resale party.
- 3.24 CUSTOMER SATISFACTION – Customer’s perception of the degree to which the customer’s requirements have been fulfilled.
- 3.25 DEFECT - Non-fulfillment of a requirement related to an intended or specified use (NOTE: The distinction between defect and nonconformity is important as it has legal connotations, particularly those associated with product liability issues; consequently, the term “defect” should be used with extreme caution).
- 3.26 DESIGN – A detailed plan for an item.
- 3.27 DESIGN ACCEPTANCE CRITERIA – Defined limits placed on characteristics of materials or products established by the customer to ensure conformance to the product design.
- 3.28 DESIGN AND DEVELOPMENT – Set of processes that transform requirements into specified characteristics or into the specification of a product, process, or system.
- 3.29 DESIGN REQUIREMENTS – Constraints imposed on the design by an Engineering Specification.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	8 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

- 3.30 DEVIATION PERMIT - Permission to depart from the originally specified requirements of a product prior to realization.
- 3.31 DOCUMENT - Information and its supporting medium.
- 3.32 DOCUMENTATION - The written and/or pictorial information describing, defining, specifying, reporting, or certifying activities, procedures, requirements, or results.
- 3.33 EFFECTIVENESS - Extent to which planned activities are realized and planned results are achieved.
- 3.34 FOLLOW-UP AUDIT - A special audit performed to verify that corrective action has been implemented and that the action was effective in preventing or minimizing recurrence.
- 3.35 INDEPENDENCE - Freedom from bias and external influence; provides for objectivity and impartiality.
- 3.36 INFORMATION - Meaningful data.
- 3.37 INFRASTRUCTURE - System of facilities, equipment and services needed for the operation of an organization.
- 3.38 INSPECTION - Conformity evaluation by observation and judgment accompanied, as appropriate, by measurement, testing or gauging.
- 3.39 INSPECTION RECORD - Document stating results (data) concerning inspection activities.
- 3.40 LEAD AUDITOR - The individual who manages the audit team during an audit.
- 3.41 MANAGEMENT SYSTEM - A system to establish policy and objectives and to achieve those objectives.
- 3.42 MEASUREMENT CONTROL SYSTEM - Set of interrelated or interacting elements necessary to achieve metrological confirmation and continual control of measurement processes.
- 3.43 MEASURING AND TEST EQUIPMENT - Devices used to measure, gage, test, inspect or otherwise examine items to determine compliance with requirements.
- 3.44 MEASUREMENT PROCESS - Set of operations to determine the value of a quantity.
- 3.45 METROLOGICAL CONFIRMATION - Set of operations required to ensure that measuring equipment conforms to the requirements for its intended use. (NOTE: Generally, includes calibration or verification, any necessary adjustment or repair, and subsequent recalibration, comparison with the metrological requirements for the intended use of the equipment, as well as any required sealing and labeling).
- 3.46 MEASURING EQUIPMENT - Measuring instrument, software, measurement standard, reference material or auxiliary apparatus or combination thereof necessary to realize a measurement process.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	9 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.


- 3.47 METROLOGICAL CHARACTERISTIC – Distinguishing feature, which can influence the results of measurement.
- 3.48 METROLOGICAL FUNCTION - Function with organizational responsibility for defining and implementing the measurement control system.
- 3.49 NONCONFORMITY – Non-fulfillment of a specified requirement.
- 3.50 OBJECTIVE EVIDENCE – Data supporting the existence or verity of something.
- 3.51 OBSERVATION – A concern or weakness detected in an element in the management system but is not a nonconformance; a condition that may become a nonconformance if not addressed; an opportunity for improvement.
- 3.52 OPENING MEETING - The introductory meeting between the auditor(s) and the auditee’s representative, at which time the overview of the planned audit is presented.
- 3.53 ORGANIZATION – Group of people and facilities with an arrangement of responsibilities, authorities, and relationships.
- 3.54 ORGANIZATIONAL STRUCTURE – Arrangement of responsibilities, authorities, and relationships between people.
- 3.55 PRE-AWARD SURVEY - An activity conducted prior to a contract award and used to evaluate the overall quality capability of a prospective supplier or contractor.
- 3.56 PREVENTIVE ACTION – Action to eliminate the cause of a potential nonconformity or other undesirable potential situation.
- 3.57 PROCEDURE - Specified way to carry out an activity or process.
- 3.58 PROCESS – Set of interrelated or interacting activities, which transforms inputs into outputs. Inputs to a process may be outputs from other processes. Processes in an organization are generally planned and carried out under controlled conditions to add value. A process where the conformity of the resulting product cannot be readily or economically verified is frequently referred to as a “special process”.
- 3.59 PRODUCT – Result of a process. For the purposes of its ISO 9001 Certification, CCA products consist of machined and fabricated materials.
- 3.60 PROJECT – Unique process, consisting of a set of coordinated and controlled activities with start and finish dates, undertaken to achieve an objective conforming to specific requirements, including the constraints of time, cost, and resources.
- 3.61 QUALITY – Degree to which a set of inherent characteristics fulfils requirements.
- 3.62 QUALITY ASSURANCE – Part of quality management focused on providing confidence that quality requirements will be fulfilled.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	10 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					

- 3.63 QUALITY CONTROL – Part of quality management focused on fulfilling quality requirements.
- 3.64 QUALITY IMPROVEMENT – Part of quality management focused on increasing the ability to fulfill quality requirements.
- 4. **About Our Organization**
- 4.1 **Organizational Context**
- 4.1.1 Custom Components & Assemblies, Inc. hereinafter called CCA, is committed to defining our position in the marketplace and understanding how relevant factors arising from legal, political, economic, social, and technological issues influence our strategic direction and our organizational context.
- 4.1.2 CCA identifies, analyzes, monitors, and reviews factors that may affect our ability to satisfy our customers and interested parties, as well as; factors that may adversely affect the stability of our process, or our management system’s integrity.
- 4.1.3 To ensure that our QMS is aligned with our strategy, whilst taking account of relevant internal and external factors; we initially collate and analyze pertinent information to determine potential impact on our context and subsequent business strategy. Such issues include factors that are capable of being affected by or capable of affecting our organization. Broadly, these issues are defining as:

- **Internal Issues-** conditions related to our organizational activities, products, services, strategic direction, culture, people, knowledge, processes, and systems, Using SWOT analysis provides our organization with framework for reviewing, evaluating our strategies, the position and direction of our organization, business propositions and other ideas: [See Figure 2](#)
- **External Issues-** conditions related to cultural, social, political, legal, regulatory, financial, technological, economic, competition at local, national, or international levels. Using SWOT analysis determine your business’s strengths and weaknesses while allowing you to identify opportunities that your company can use to make bigger profits. [See Figure 2](#)



	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	11 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

4.1.4 CCA then monitors and reviews this information to ensure that a continual understanding of each group requirements is derived and maintained. To facilitate the understanding of our context, we regularly consider issues that influence our context during management review meetings. The results of which are conveyed via MRM minutes.

4.1.5 Although we acknowledge that ISO 9001:2015 does not require our organizational context to be maintained as documented information, we maintain and retain; in addition to this document, the following documented information to describe our organizational context:

1. SWOT Analysis to help understand internal & external issues.
2. Analysis of business plans, strategies, and stator and regulatory commitments.
3. Analysis of technology and competitors.
4. Economic reports from relevant business sectors.
5. Technical reports from technical experts and consultants.
6. Minutes of meetings (MRM), Process maps and reports, etc.

The outputs from these activities are evident as an input to determining the scope of our QMS (*Refer to section 4.3*) and its processes (*Refer to section 4.4*) as well as, the consideration of risk and opportunities that may affect our QMS, and the resulting actions that we take to address them (*Refer to section 6.1*)

4.1.6 SWOT analysis provides our organization with framework for reviewing and evaluating our strategies, and the position and direction of our organization with framework for measuring our market and growth potential according to external political, economic, social, technological, legal, and environmental factors.

4.2. Relevant Interested Parties

4.2.1. CCA recognizes that we have a unique set of interested parties. The effect or potential effect on our organizations ability to consistently provide products and services that meet our customer and applicable statutory and regulatory requirements. CCA has determined the following:

- The interested parties relevant to the QMS.
- The requirements of the identified interested parties relevant to the QMS.

Interested Parties	Needs & Expectations
Customers	Price, reliability & value, OTD, Quality
Owners	Profitability & Growth
Employees	Shared Values & security
Suppliers/Vendors	Beneficial relationships
Regulatory & Statutory	Compliance & Reporting
Distributers & retailers	Quality, price & Logistics

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	12 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

4.2.2. To ensure that our products and processes continues to me all relevant requirements, we identify and assess the potential impact of any relevant needs and expectations that may be elicited for the interested parties. Where appropriate, to ensure that our processes are aligned to deliver the requirements which become inputs to our QMS and to our product and service.

4.3. Quality Management System

4.3.1. Based on the scope of our activities described in *Section 1 – Introduction* and the analysis of the issues and requirements identified in *Sections 4.1 and 4.2*, CCA has established the scope of our quality management system to implement our objectives and our policies that are relevant to our context, products, and any interested parties.

4.3.2. For the QMS to be robust, all the activities, products and services undertaken by CCA are included within the scope of our QMS. In this way we can control and influence our activities, products, and services.

4.3.3. This document describes our quality management system, delineates authorities, inter-relationships and responsibilities of process owners and personnel that operate within the system. Although we recognize that ISO 9001:2015 does not require a quality manual, we have decided to retain and update our quality manual, as our employees, customers, suppliers, and other interested parties perceive it to add value to our operations. This document also demonstrates the relationships between our quality management system and the sequence and interaction of our key process. Conformance to ISO 9001:2015 has been verified utilizing a formal assessment and review process by SAI Global Registrar.

4.4. Quality Management System & Its Processes


4.4.1. CCA has implanted a quality management system that exist as part of a larger strategy that has established, documented ad implemented our process, quality policies and objectives, whilst satisfying the requirement of ISO 9001:2015.


4.4.2. To achieve this, CCA has adopted the process approach advocated by ISO 9001:2015. Top management has determined the processes required for achieving the intended outputs. By defining three key process-groups and by managing their inputs, activities, controls, outputs, and interfaces; We ensure that system effectiveness is established maintained. These key process groups include.

1. Management & review process.


2. Operation and production processed.

3. Support and assurance process.

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	13 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



- 4.4.3. These process groups are described using tools such as documented procedures, process maps, flow diagrams, matrices, schedules, and charts, etc. **(Refer to Appendix A.2)** which shows the sequence and interaction of the process groups within our management system.
- 4.4.4. It is recognized that defining implementing and documenting our quality management system is only the first step towards fully implementing it requirements. The effectiveness of each process and its subsequent output is measured and evaluated through regular internal audits, quality inspections and data analysis.
- 4.4.5. The Monitoring of key performance indicators (KPIs, which are linked to our objectives, are used to measure, and communicate process performance. This approach allows Top Management to regularly review the QMS to ensure its ongoing integration within the business.
- 4.4.6. As part of the decision-making process, we use trends and statistical data related to non-conformities, quality related, targets, objectives, and corrective actions, as well as, monitoring and measurement results, audit results and compliance data, to ensure that objectives, and responsible management decisions are made.
- 4.4.7. Where CCA identifies the requirement to outsource any process, or part thereof, which affects conformity with the stated requirements; CCA identifies control criteria such as the competence of personnel, inspection regimes, the provision if product conformity certificates, adherence to specifications and specific job files, etc.

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	14 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

4.4.8. The controls identified do not absolve us of the responsibility to conform to client, statutory and regulatory requirements but instead they enhance our capacity to effectively manage our supply chain. The controls adopted are influenced by the potential impact of outsourcing on meeting customer requirements and the degree to which control of the process is shared. Outsourced are controlled via purchasing and contractual agreements. *(Refer to Section 8.4)*

5. Leadership & Governance

5.1. Leadership and Commitment

5.1.1. General

CCA’s leadership is also responsible for implementing the QMS, which includes the development and deployment of the quality policy, the quality objectives, and product/project-specific plans that are customer focused.

Top management provides leadership and governance to all activities related to the lifecycle processes including defining the strategic direction, responsibility, authority, and communication to assure the safe and effective performance.


CCA governance structure provides necessary support for creating and establishing appropriate processes that are important for maintaining and achieving our quality objectives and policies. In addition, governance activities include systemic verification of the effectiveness of our QMS by undertaking internal audits and analyzing performance data. Regular management reviews ensure that our quality management system is adequate and effective, and that necessary adjustments are made as a result.

Top management is committed to implementing and developing the quality management system and this commitment is defined by our policies and objectives. CCA ensures that our policies are understood, implemented, and maintained throughout all levels of the Organization through printed distribution of our policy statements and through periodic management review of the policy statements. CCA communicates our quality policy, strategy, policies, procedures, and processes to all employees to:

1. Create and sustain shared values of fairness and ethical behavior.
2. Establish a culture of trust and integrity.
3. Encourage commitment to quality.
4. Provide people with the required resources, training, and authority to act with accountability.
5. Inspire, encourage, and recognize people’s contribution.

In addition, our policies, objectives, and targets are communicated and deployed throughout the business.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	15 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



5.1.2 Customer Focus


CCA strives to identify current and future customer needs, to meet their requirements and to exceed their expectations. Top management ensures that the focus on improving customer satisfaction is maintained by setting and reviewing objectives related to customer satisfaction at management review meetings.

Top management also ensures that customer requirements are understood and met. Customer requirements are understood, converted into internal requirements, and communicated to appropriate personnel within the Organization. Customer complaints and other customer feedback are continually monitored and measured to identify opportunities for improvement. We continually look for ways to interact directly with our customers to ensure that we focus on their unique needs and expectations.

5.2 Quality Policy

5.2.1 Establishing

The quality policy acts as a compass by providing the direction and framework for establishing key company performance measures, as well as related objectives and targets. Top management ensures that our policies are established and documented.

 <p>CUSTOM COMPONENTS & ASSEMBLIES, INC.</p>	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	16 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

The Quality Manager has overall responsibility for defining, documenting, implementing, and reviewing our quality policy in consultation with the management teams and other personnel, or their representatives. The policy is reviewed at least annually, as part of the management review program or at a frequency determined by:

1. The changing needs and expectations of relevant interested parties, **Section 4.2.**
2. The risks and opportunities that are presented through the risk management process, **Section 6.**

5.2.2 Communicating

The quality policy is communicated to all employees at all levels throughout our organization via training, regular internal communications, and reinforcement during annual employee performance reviews. Employee understanding of our policies and objectives is determined during internal audits and other methods deemed appropriate.

5.2.3 Quality Policy Statement

Custom Components & Assemblies, Inc. is committed to an operating philosophy based on openness in communication, integrity in serving our customers, fairness and concern for our employees and responsibility to the communities within which we operate. Our vision is to exceed customer expectations for quality, safety, sustainability, cost, delivery, and value. Additionally, we are dedicated to creating a profitable business culture that is based on the following principles:

OUR PEOPLE

Custom Components & Assemblies, Inc. is committed to equality in employment opportunity and rewards, embracing wholeheartedly the cultural diversity within the communities we call home. Our employees' welfare and interests are foremost throughout all aspects of our business and how we conduct our affairs Custom Components & Assemblies, Inc. is committed to:

- Creating and nurturing an environment of success based on honesty and integrity.
- Equitable sharing in the success of the company.
- Empowerment through training and communication.
- Individual growth and equal opportunity.
- Designing and providing a safe and secure work environment.

OUR COMMUNITY

Custom Components & Assemblies, Inc. is committed to supporting the communities within which we operate. We believe in the practice of social responsibility and encourage similar behavior in our employees and suppliers. We support the conservation of the physical environment and the prevention of pollution at our facilities. We proactively comply with all applicable safety, environmental, legal, and regulatory requirements to which we subscribe.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	17 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

OUR QUALITY

Beginning with a clear definition of customers' expectations, we strive to consistently meet or exceed them. We adhere to all applicable standards and customer specific requirements and endeavor to provide processes that ensure we achieve this to build a robust and world class business.


5.3 Role, Responsibilities and Authorities

Our organizational structure is defined in Appendix A.3. The Organization chart shows the interrelation of personnel within Custom Components & Assemblies, Inc., whilst job descriptions define the responsibilities and authorities of each role. Job descriptions and the Organizational structure are reviewed and approved by Top management for adequacy as determined by the changing needs and expectations of the interested parties identified in **Section 4.2**, and any risk and opportunities presented through the risk management process, **Section 6.1**.

Members of Top management are ultimately responsible for the quality of Custom Components & Assemblies, Inc. products and services since they control the resources, systems, and processes by which conforming work is accomplished. Top management are responsible for business planning, development and the communication of our policies, quality management system planning, the establishment and deployment of objectives, the provision of resources needed to implement and improve the quality management system and for undertaking management reviews. Top management has assigned the responsibility and authority to the management teams and departments to:

1. Ensure that QMS processes are delivering their intended outcomes.
2. Report on the operation of the QMS and identifying any opportunities.
3. Ensure that improvement is taking place.
4. Ensure that customer focus is promoted throughout the organization.
5. Ensure that whenever changes to the QMS are planned and implemented.
6. Ensure the integrity of the system is maintained during changes.
7. Ensure that responsibilities and authorities relating to the QMS are communicated and understood.

All managers demonstrate their commitment to the development and improvement of the quality management system through the provision of necessary resources, through their involvement in the internal audit process and through their proactive involvement in continual improvement activities. Emphasis is placed on improving both the effectiveness and efficiency of key system processes.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	18 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

All managers are responsible for execution of the business plan and the implementation of the policies, processes and systems described in this manual. All managers are responsible for planning and controlling the management system processes within their area of responsibility, including the establishment and deployment of operational level objectives and the provision of resources needed to implement and improve these processes.

All employees are responsible for the quality of their work and implementation of the policies and procedures applicable to processes they perform. Employees are motivated and empowered to identify and report any known or potential problems and to recommend related solutions to aid the corrective and preventive action process.

5.4 Communication

5.4.1 Internal Communication


Custom Components & Assemblies, Inc. communicates information internally regarding our QMS and its effectiveness, through documented training, internal audit reports and continual improvement processes. All managers are responsible for establishing regular formal and informal communications as needed to convey to their employees the relevance and importance of their activities; typically, this information is conveyed through team meetings and cross-functional improvement projects.

Communications regarding how employees contribute to the achievement of objectives are also conveyed and reinforced during employee performance reviews. Issues pertaining to our QMS that may be communicated internally include:

1. Day-to-day operations and general awareness.
2. Quality policy.
3. Information on achieving objectives and targets.
4. Risk and opportunities.

Top management and their direct reports are responsible for communicating the corporate policies as well as the importance of meeting customer, statutory and regulatory requirements to employees within their respective departments. They ensure the quality policy is understood and applied to the daily work of the organization through the establishment of measurable goals and objectives. Internal communication occurs on an on-going basis and is achieved through various mechanisms as appropriate:

1. Regular meetings and briefings.
2. Training sessions and training material.
3. Display boards, memorandums, letters.
4. Website, intranet, internal e-mails.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	19 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

5. Product and process performance data analysis and audit results.
6. Targets, objectives, scorecards, KPIs, management system manual and procedures.
7. Corrective action and non-conformance reports.
8. Minutes of scheduled meetings.

5.4.2 External Communication

Custom Components & Assemblies, Inc. determines the need to communicate information externally to our interested parties, as defined in **Section 4.2**, regarding the effectiveness of our QMS. In most instances, external interested parties are the main driving force for our organization to implement our QMS. The various processes or means of external communication may include as appropriate:


- Interested Party's Needs & Expectations Possible modes of Communication
- Customer's Price, reliability & value publications.
- Owner Profitability & growth Annual reports or newsletters of performance
- Suppliers Beneficial relationships
- Publications on our website, meetings, or questionnaires
- Regulatory & statutory
- Compliance & reporting
- Regulatory compliance submissions or results of audits

Custom Components & Assemblies, Inc. ensures that all external communications are authorized prior to release. Where required, advice appropriate to the context of the communication may be sought concerning the content and dissemination of certain external communications. Responses to external communications are recorded if they are transmitted by email or letter. In each case the response is retained and controlled in accordance with the requirements for documented information.

6 Management System Planning

6.1 Addressing Risks & Opportunities

The overall aim of risk and opportunity management within Custom Components & Assemblies, is to ensure that organizational capabilities and resources are employed in an efficient and effective manner to take advantage of opportunities and to mitigate risks.

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	20 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Top management is responsible for incorporating risk-based thinking into our organization's culture. This includes the establishment of risk management policies and targets to ensure effective implementation of risk and opportunity management principles and activities by:

1. Providing sufficient resources to carry out risk and opportunity management activities.
2. Assigning responsibilities and authorities for risk and opportunity management activities.
3. Reviewing information and results from audits and risk and opportunity management activities.

The scope Custom Components & Assemblies, Inc. risk and opportunity management process includes the assessment of the internal and external issues identified in **Section 4.1**, and the assessment of the needs and expectations of any interested parties identified in **Section 4.2**. Risk and opportunity management is undertaken as part of Custom Components & Assemblies, Inc. day-to-day operations and is captured at the following hierarchy:

1. Strategic level.
2. Programme level.
3. Department level.
4. Process level.

Establishing such a hierarchy for capturing risk and opportunity ensures that each is managed at the most appropriate level within our organization. Typically, the following categories are assigned to each level in the hierarchy as shown in the table opposite.

Business Hierarchy	Risk/Opportunity
Strategic Level	Budgets and Profitability
Programme Level	Performance and efficiency
Department Level	Resources and targets
Process Level	Evaluation and assurance

Custom Components & Assemblies, Inc. has classified its 'risk appetite' as the amount of risk that we are willing to accept in pursuit of an opportunity or the avoidance of risk where each pertains to product and/or system conformity, and which reflect the following considerations:

1. Risk management philosophy per product or process.
2. Capacity to take on or mitigate risk.
3. Our objectives, business plans and customer demands.
4. Evolving industry and market conditions.
5. Tolerance for failures.

6.2 Quality Objectives

Custom Components & Assemblies, Inc. sets out its objectives and targets on a regular basis within the management review minutes where details of program dates and responsibilities are defined.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	21 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Improvements in quality and performance are incremental and are in keeping with the size and complexity of our organization.

When setting objectives and targets, our organization ensures that they are consistent with the needs and expectations of our interested parties, as defined in Section 4.2, and to our corporate policies. In addition, technological options, financial, operational, and business requirements are considered.

To determine whether our objectives and targets are being met, they are measured and reported as a set of key performance indicators (KPI). This allows progress to be monitored as metrics are gathered and data is analyzed. KPIs and objectives for our organization include the following aspects:

1. Turnover & profitability.
2. Sales targets & production efficiency targets:
3. Reject and rework & scrap targets.
4. Staffing breakdown.

Based on the set quality policies and in connection with the application of the ISO 9001 quality management principles, Custom Components & Assemblies, sets quality objectives that are specified in the register of objectives. All employees are responsible for fulfillment of the quality policies and subsequent objectives. Managers of all departments are obliged to develop general objectives into objectives applicable to their departments and employees. Quality Objectives are set in the Management Review Meeting. The objectives can be seen in the management review minutes.


6.3 Planning for Change

The quality management system is planned and implemented to meet our company objectives and the requirements of ISO 9001:2015. The planning process involves establishing and communicating our policies, objectives and associated operational procedures.

This document constitutes our overall plan for establishing, maintaining, and improving the quality management system. For each instance of management system planning, the output is documented and retained accordingly, and changes are conducted in a controlled manner. The management review and the internal audit processes ensure that the integrity of the QMS is maintained when significant changes are planned which may affect key processes. Whenever quality management system changes are planned, Top management ensures that all personnel are made aware of any changes which affect their process, and that subsequent monitoring is undertaken to ensure that QMS changes are effectively implemented.

7 Support

7.1 Resources

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	22 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

7.1.1 General

Resources at Custom Components & Assemblies, include human resources and specialized skills, infrastructure, technology, work environment and financial resources. The resource requirements for the implementation, management, control and continual improvement of the quality management system, and activities necessary to enhance customer satisfaction, are defined in our operational procedures, work instructions and the following sections of this QMS manual:

- 1.Planning; Section 6.0**
- 2.Management review; Section 9.3**
- 3.Human resources; Section 7.1.2**
- 4.Infrastructure; Section 7.1.3**
- 5.Work environment; Section 7.1.4**
- 6.Planning of product realization; Section 8.1**
- 7.Determination of customer requirements; Section 8.2**


7.1.2 People

To ensure competence of our personnel, job descriptions have been prepared identifying the qualifications, experience and responsibilities that are required for each position that affects product and system conformity. Qualifications include desired requirements for education, skills, and experience. Appropriate qualifications, along with the provision of any required training, provide the competence required for each position.

Qualifications are reviewed upon hire, when an employee changes positions or the requirements for a position change. The Human Resources Manager maintains records of employee qualifications. If any differences between the employee’s qualifications and the requirements for the job are found, training or other action is taken to provide the employee with the necessary competence. The results of training are then evaluated to determine if it was effective.

Employees are made aware of the relevance and importance of their activities and how they contribute to the achievement of our policies and objectives. The company operates a formal system to ensure that all employees within the Organization are adequately trained to enable them to perform their assigned duties.

Staff training records are maintained to demonstrate competency and experience. The Human Resources Manager maintains and reviews the training records to ensure completeness and to identify possible future training needs. Training records are maintained and include as a minimum; copies of certificates for any training undertaken to date, current job description and curriculum.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	23 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Competence

Top management identifies emerging competency needs during management reviews. Emergent competency needs are converted into job descriptions for the type and number of positions that need to be filled through internal or external recruitment. Where required; competency training and monitoring is conducted in-house, although for more specialist skills, external courses are utilized. The effectiveness of training is evaluated and recorded. The company induction includes an introduction to our policies and objectives. Future competency training needs are identified as part of the Management Review process.

Awareness

All employees are trained on the relevance and importance of their activities and how they contribute to the achievement of our policies and objectives. The company operates a formal system to ensure that all employees within the Organization are adequately trained to enable them to perform their assigned duties.

Where required; awareness training and monitoring is conducted in-house, although for more specialist skills, external courses are utilized. The effectiveness of awareness training is evaluated and recorded. The company induction includes an introduction to our organization's policy statements and objectives. Future training needs are identified as part of the management review process.


7.1.3 Infrastructure

Custom Components & Assemblies, Inc. is responsible for planning, providing, and maintaining the resources needed to achieve product and process conformance, including buildings, workspace, and associated utilities; process equipment (hardware and software); and supporting services. The Quality Manager has overall responsibility for managing our services.

7.1.4 Operational Environment

Custom Components & Assemblies, Inc. ensures that our office complies with relevant health and safety regulations. The Compliance Manager carries out regular compliance audits to ensure that appropriate standards are maintained. Top management is committed to providing:

1. A place of work that is safe, including all equipment and methods of work.
2. Training, instruction, information, and supervision for employees.
3. A means of safe handling, storage, use and transportation of equipment, materials and chemicals.
4. Safe working environment with good lighting, ventilation, safe passageways, stairs and corridors.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	24 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

7.1.5 Organizational Knowledge

Custom Components & Assemblies, Inc. recognizes that organizational knowledge is a valuable resource that supports our quality management activities and ensures continual product and service conformity. There is a strong link between Organizational knowledge and the competence of our people, the latter being peoples' ability to apply knowledge to their work.

To ensure that Organizational knowledge is retained and transferred, Organizational knowledge is recorded in documented information, and is embedded in our processes, products, and services.


Examples of Organizational knowledge include:

1. Documented information regarding a process, product, or service.
2. Previous specifications and work instructions.
3. The experience of skilled people and their processes and operations.
4. Knowledge of technologies and infrastructure relevant to our organization.

Sources of internal knowledge also include our intellectual property; knowledge gained from experience and coaching; lessons learnt from failures and successes; capturing and sharing undocumented knowledge and experience; the results of improvements in processes, products, and services.

Sources of external knowledge often include other ISO standards; research papers; webinars from conferences; or knowledge gathered from customers, stakeholders, or other external parties. Custom Components & Assemblies, determines and reviews internal and external sources of knowledge, such as:

1. Lessons learnt from non-conformities, corrective actions, and the results of improvement.
2. Gathering knowledge from customers, suppliers and interested parties, benchmarking against competitors.
3. Capturing knowledge existing within the Organization, e.g., through mentoring/succession planning.
4. Sharing knowledge with relevant interested parties to ensure sustainability of the Organization.
5. Knowledge from conferences, attending trade fairs, networking seminars, or other external events.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	25 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

8 Product & Service Development

8.1 Operational Planning & Control

Custom Components & Assemblies, Inc. establishes and implements documented plans and procedures that describe the processes (*Refer to Section 4.3.2*) and the controls required for the provision of services in awareness to the objectives, the potential for planned or unintended change, and the risks and opportunities identified in Section 6.1. During this planning phase, management or other responsible personnel identify the following parameters:

- Objectives and requirements for the service.
- Verification, validation, monitoring, inspection, and test requirements.
- Documented information to demonstrate conformity.
- Document information to demonstrate process effectiveness.
- Necessary resources; or outsourced processes and their controls.
- Criteria for process performance and product/service acceptance.
- Potential consequences and mitigation to change affecting input requirements.
- Resources necessary to support the ongoing operation of the service.

The output of planning activity includes documented plans, resource schedules, process, requirements, and procedures.


8.2 Customer Requirements

8.2.1 Customer Communication

In accordance with our commitment to exceed our customer's expectations, Custom Components & Assemblies, Inc. highlights effective customer communication as an essential element of delivering customer satisfaction. Appropriate handling of customer communication helps to reduce customer dissatisfaction and in many cases turn a dissatisfying scenario into a satisfying experience.

Customer communication occurs through the following formats, events, and processes:

1. Brochures, specifications, or technical data sheets relating to our products and services.
2. Enquiries, quotations and order forms, invoices, and credit notes.
3. Confirmation of authorized orders and amended orders.
4. E-mails, letters, and general correspondence.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	26 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

5. Customer feedback and complaints management process.

The Quality Manager is responsible for establishing methods of communication with our customers to ensure enquiries, contracts, or order handling; including amendments, customer feedback and complaints are handled expeditiously and professionally. *(Refer to PWI-72-01, Order Processing and Review Procedure.)*

8.2.2 Determining Requirements

Custom Components & Assemblies, Inc. develops appropriate requirements to ensure that we satisfy the needs and expectations of our customers or relevant interested parties. Custom Components & Assemblies, Inc. ensures that customer requirements are clearly articulated and that their requirements are captured and understood before the acceptance of an order. Customer requirements include the following:

1. Previous customer requirements
2. Statutory and regulatory requirements related to the product.
3. Other non-customer specified performance requirements.
4. Any additional requirements determined by Custom Components & Assemblies, Inc.

(Refer to PWI-72-01, Order Processing and Review Procedure.)

8.2.3 Review of Requirements

Prior to the commitment to supply a product to the customer, orders are reviewed to ensure the following.

- Product requirements are defined
- Any ambiguities and conflicts in contract or order requirements are resolved.
- CCA can meet customer requirements

Records of the results of the review and any associated actions are documented during the Contract Review Process. **Quality Operational Procedure PWI-72-01, Order Processing and Review.**

When the customer provides no documented statement of requirement, as with verbal orders, the customer requirements are confirmed before acceptance.

Change of orders and amendments are processed and reviewed using the same procedures that apply to the processing of initial orders. Changes of orders are communicated to all functions within the organization that may be affected by the change of customer requirements by e-mail notification. Processes for handling and reviewing orders and change orders are defined in PWI-72-01, Order Processing and Review.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	27 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

8.2.4 Changes in Requirements

Custom Components & Assemblies, Inc. ensures that all relevant documented information; relating to changes in product or service requirements, is authorized and amended where necessary, and that all relevant personnel are made aware of the documented requirement changes.

(Refer to PWI-72-01, Order Processing and Review Procedure.)

8.3 Design & Development - N/A

8.4 Control of Suppliers & External Processes

8.4.1 General


The purchasing process is essential to our organization's ability to provide our customers with products and services that meet their requirements. Custom Components & Assemblies, Inc. ensures that all purchased products or services that are incorporated into our final products; conform to our specified requirements.

Custom Components & Assemblies, Inc. accomplishes this by actively working with a network of external suppliers. Performance and capability are continually assessed through periodic, 2nd party audits, performance data analysis and inspection or verification of the supplied services.

The type and extent of control applied to our suppliers and the purchased service is dependent upon the effect that the outsourced service may have on our final service. The following considerations are considered by:

1. Ensuring that we understand the capabilities and competencies.
2. Ensuring that we clearly communicate the roles and responsibilities.
3. Defining the quality requirements for the outsourced activity.
4. Selecting and qualifying appropriate suppliers.

It is the responsibility of the Purchasing Manager to evaluate and select suppliers based on their ability to supply services in accordance with specified requirements. Additionally, other internal resources may be called on to assist as required. The criteria for the selection, evaluation and re-evaluation are defined in the Supplier Evaluation and Monitoring Procedure, while records of the results of evaluations and any necessary actions arising from the evaluation are maintained.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	28 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

(Refer to PWI-74-01, Supplier Evaluation and Monitoring Procedure.)

8.4.2 Purchasing Controls

CCA evaluates its suppliers and purchasing only from those who can satisfy quality requirements. Purchasing and Quality Assurance conducts supplier evaluations. Suppliers who meet requirements and are critical to quality are entered on the Critical Suppliers list.

Quality Assurance continually monitors supplier quality performance as well as on time deliveries. Suppliers showing inadequate performance are requested to implement a corrective action. If the corrective actions are not implemented and/or are not effective, the supplier is removed from the critical supplier list. The processes for evaluating and monitoring suppliers are defined in **Quality Operational Procedure PWI-74-01, Supplier Evaluation and Monitoring.**

Purchasing, along with quality assurance, maintains an Approved Vendor List. Orders for materials, components, and subcontractor services that influence quality may only be placed with vendors on the critical suppliers list.

Purchased product are verified prior to use in production and/or dispatched to customers. Quality Assurance is responsible for selecting appropriate methods for purchased product verification and acceptance. QWI-74-03, Verification of Purchased Product defines the processes for verifying, identifying, and releasing purchased product.

Where appropriate, risk control measures are applied to outsourced processes. Risk control measures, and their importance, are documented within the purchasing data and clearly communicated to the supplier.

8.4.3 Purchasing Information

Purchasing documents are prepared by the purchasing department. The documents clearly and completely describe ordered products, including precise product identification and quality requirements. Purchasing documents are reviewed and approved prior to release. The processes for the preparation, review, and approval of purchasing documents are defined in PWI-74-02, Purchasing.

8.5 Production & Service Provision

8.5.1 Control of Production & Service Provision

Currently CCA limits Post Delivery support as customer returns only.

Product manufacturing is carried out under controlled conditions. The controlled conditions include the control of the following where applicable.

Production and process information and work instruction: Information and instructions specifying product characteristics and manufacturing processes are communicated to process

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	29 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

operators in the form of production routers, drawings, specifications, samples, work instructions, and product-specific templates, and tooling. This information is developed in the phase of production and quality planning as described in MWI-71-01, Product Realization. The resulting documents are controlled in accordance with SOP-008, Control of Documents and MWI-75-01, Work Order and Production Records.

Process equipment: Process equipment, machines, hardware, and software are selected based on their ability to consistently produce products and provide service that meet specified requirements. Selection and maintenance of process equipment is addressed in MWI-71-01, Product Realization and MWI-63-01 Equipment Maintenance.

Monitoring and measuring equipment: Requirements for measuring and monitoring equipment are determined in accordance with product and process monitoring and measuring programs defined in product realization planning in MWI-71-01, Product Realization. The system for managing and controlling measuring and monitoring equipment is defined in QWI-76-01, Measuring and Monitoring Equipment.

Monitoring and measuring activities: Monitoring and measurement of product is implemented through the program of receiving, first article, in-process, and final inspection as defined in QWI-74-03, Verification of Purchased Product and QWI-82-03, Final Inspection. The program for monitoring and measurement of production processes is developed and implemented in accordance with MWI-71-01, Product Realization and MWI-75-02 Validation of Processes.

Product release, packaging, and delivery: Products are released for shipping only after all specified production activities have been satisfactorily completed and conformity of the product and of the associated production records has been verified. QWI-82-03, Final Inspection defines the system for finished product verification and release.

8.5.2 Identification & Traceability

Identification: Materials, components, and finished product are identified throughout all stages of product realization and when in storage. The system and methods for identifying product are explained in PWI-75-05, Product Identification and Traceability. Additional relevant procedures are MWI-75-01, Work Order and Production Records.

Traceability: Traceability is maintained when required by customer supplied specification, applicable laws, and regulations, or when specified internally to facilitate corrective actions. Traceability is based on identifying the finished products, or batches with unique control members. Activities related to maintaining and recording traceability and addressed in PWI-75-05, Product Identification and Traceability and MWI-75-01 Work Order and Production Records.

8.5.3 Customer Property

Customer-supplied products are received and inspected following the same procedure that applies to the purchased products, i.e., QWI-74-03, Verification of Purchased Product. In the event the supplied products fail receiving inspection, or are not suitable for any other reason, the customer is contacted.

Marking, storage, handling, and preservation of customer supplied products follow the same

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	30 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

procedures that apply to the purchased products. The applicable instructions are PWI-75-05, Product Identification and Traceability.

Customer-owned tooling, gauges and returnable packaging are permanently marked so that ownership of each item is visually apparent.

Customer's software, documents, and other intellectual property are protected to the same extent as would internal CCA documents of similar content, unless there are contractual requirements for special measures to protect customer's intellectual property.

When specified in a contract, special handling instructions from customers will take precedent over the company's standard procedures.

Customers are immediately informed in the event of loss, damage, deterioration, or unsuitability of their products.

8.5.4 Preservation

Handling and preservation: Production is responsible for product handling and preservation; and for ensuring that containers holding products are suitable and are in good condition, that equipment used for internal transportation of products is well maintained and is properly operated, and that products are adequately protected during production and storage.

Storage: Stockrooms and storage, staging, and holding areas are controlled by the department that brings in new stock or uses the area. Storage areas are appropriate to ensure adequate preservation and protection of product. Procedures and/or work instructions are established for control of product requiring special storage conditions.

Packaging, labeling, and shipping: Primary packaging is boxes, bags or other packaging in which products are presented to the customers. Secondary packaging is cardboard boxes, crates, or other additional packaging intended to contain and protect products for shipping and transportation. Primary packaging and labeling are controlled by the same operational procedures applicable to production activities. Secondary packaging and shipping activities are governed by the Shipping Department

8.5.5 Post Delivery Activities

Currently CCA limits Post Delivery support as customer returns only.

8.5.6 Control of Changes

Currently CCA does not participate in any design and development functions; therefore, this section of the manual is not applicable.

8.6 Release of Products & Services

The monitoring and measurement program for products is defined in drawings and specifications, production routers, purchasing documents, and in inspection and testing procedures.

Verification of purchased product: All purchased products are subjected to a visual inspection by the receiving inspector. Some designated products are also subjected to a more detailed and technical QC inspection. Processes for performing these inspections are defined in QWI-74-03,

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	31 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Verification of Purchased Product.

In-process inspections: In-process inspections are in the form of first article inspections and operator inspections. The focus is on defect prevention rather than detection. Systems for performing first article inspections are defined in QWI-75-04, First Article Inspections.

Final acceptance inspection: Finished products are subjected to the final QC inspection. First, inspectors verify that all specified receiving and in-process inspections have been carried out satisfactorily. Then they perform the remaining inspections and tests necessary to complete the evidence of product conformity. Only products that pass the final inspection can be packaged and shipped. Operational Procedure QWI-82-03, Final Inspection defines these activities.

Results of inspections and tests are recorded. Instructions for establishing records for specific types of inspections are defined in inspection procedures and work instructions. Filing and maintenance of inspection records are regulated by MWI-75-01, Work Orders and Production Records and SOP-009, Control of Records.

Products are released for packaging and shipping only after all specified activities have been satisfactorily completed and conformity of the product has been verified. Only personnel performing final product inspections and tests have the authority to release products. The identity of the person authorizing product release is recorded. QWI-82-03, Final Inspection defines specific methods for product release.

8.7 Control of Non-conforming Outputs

Identification and documentation

Nonconforming products are documented in the Product Nonconformity Report (PNR). The report describes the nonconformity, documents the disposition decision, and records close-out of follow-up activities (re-inspection, concessions, corrective actions, etc.). The use of the PNR and its processing are explained in SOP-006, Control of Nonconforming Product.

When nonconforming product is detected after delivery or use has started, the effects, or potential effects of the nonconformity are evaluated by Quality Assurance, and appropriate action is taken.

To prevent nonconforming products from being used or shipped, the products are marked with a REJECTED label or tag or placed in a designated holding area.

Nonconformity review and disposition

President or Quality Assurance Manager is responsible for reviewing nonconformities and deciding on the disposition of nonconforming products. In simple and routine cases this responsibility is delegated to production supervisors.

The disposition decision may be to rework, repair, accept as-is, submit a deviation or scrap.

Processes for reviewing product nonconformities, for making disposition decisions, and for recording these activities are provided in Operational Procedure SOP-006, Control of Nonconforming Product.

Verification of reworked products

Reworked products are re-inspected to demonstrate conformity to the original requirements. Repaired products are also inspected to verify that they meet specification. These verification activities are carried out in accordance with applicable inspection instructions. *(Refer to QWI-82-*

	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	32 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

03, Final Inspection.)

9 Performance Evaluation

9.1 Monitoring, Measurement, Analysis & Evaluation

9.1.1 General

Planning

Measurement and monitoring activities to ensure and verify product conformity are defined in engineering specifications and drawings, production routers, inspection and testing procedures, and process control procedure. These activities are further defined in QWI-74-03, Verification of Purchased Product and QWI-82-03, Final Inspection.

The conformity and effectiveness of the quality management system are monitored by internal audits and by measuring quality performance and customer satisfaction. Results of these activities are reported to top management and are used to identify opportunities for improvement.

9.1.2 Customer Satisfaction

Information related to customer satisfaction is collected and compiled from the following sources:

- Customer complaints,
- Spontaneous expressions of customer satisfaction and other feedback,
- Customer quality evaluations,
- Customer satisfaction surveys
- Product returns

PWI-82-01, Customer Satisfaction defines the responsibilities and methods for collecting the information.


Sales are responsible for developing suitable indicators of customer satisfaction, and for defining methods for collecting and analyzing the pertinent information.

Customer satisfaction is used as one of the measurements of the performance of the quality management system. For this purpose, customer satisfaction information is reported to, and evaluated by the management review of the quality system, as defined in SOP-002, Management Review.

9.1.3 Analysis and Evaluation

Data and information recorded in quality records are compiled and analyzed periodically to determine trends in the performance and effectiveness of the quality system and to identify opportunities for improvement.

Quality Assurance is responsible for coordinating these activities, and for reporting conclusions and trends to the top management. This is usually done within the framework of management reviews of the quality system, in accordance with Operational Procedure SOP-002, Management Review.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	33 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Following categories of information and data are recorded, compiled, and analyzed:

Characteristics of processes and products:

- Scrap rates
- Continual Process Improvement Input Forms
- Conformity to product and customer requirements:
- Scrap rates
- On-time delivery performance

Suppliers:

- Supplier quality performance

Customer satisfaction and dissatisfaction:

- Customer satisfaction
- Customer complaints

Quality System:

- Effectiveness of training
- Results of Internal Audits

9.2 Internal Audit

Top Management and the Quality Manager are responsible for internal audits of the quality management system to determine whether the quality system:

- Conforms to quality plans, to management system requirements as defined in this quality manual and operational procedures, and to the requirements of the ISO 9001 standard,
- Is effectively implemented and maintained.


Internal audits are conducted by either internal audits or may be subcontracted to external audit firms. Internal audits are conducted in accordance with a planned program, taking into consideration the status and importance of the processes and areas to be audited, as well as the results of the previous audits.

Appropriate corrective actions are taken by management personnel responsible for the areas where nonconforming processes and/or practices are identified by the audit. Top Management follows up to ensure that the actions taken are fully implemented and are effective.

SOP-005, Internal Quality Audits defines the processes for planning, conducting, and reporting internal audits, as well as taking corrective actions and follow-ups.

9.3 Management Review

9.3.1 General

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	34 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Management reviews of the quality management system are conducted at a minimum of at least once a year. More frequent reviews are scheduled in periods when organizational, technological, product, or other changes require increased attention and input from the top management. It is also within the prerogative of top management to at any time request a management review of the quality management system. The processes for initiating and conducting management reviews and for documenting their conclusions are defined in SOP-002, Management Review.

The purpose of the management reviews is to do the following.

- Evaluate the suitability of the quality management system,
- Evaluate the adequacy of the quality management system.
- Evaluate the effectiveness of the quality management system
- Changes to the quality management system
- Changes to the quality policy
- Changes to the quality objective
- Identify opportunities for improvement of the quality management system
- Identify opportunities for improvements of processes
- Identify opportunities for improvements of products

Management reviews are chaired by the quality manager and are attended by the President, and managers representing production, engineering, sales, purchasing, and at any times when deemed needed, the quality manager can call any other manager in for added information for review of the quality management system.

9.3.2 Inputs

Input into the management reviews consists of information and data related to quality performance of the organization. At a minimum, the inputs will include the following.


- Results of audits
- Customer feedback and complaints
- Process performance and product conformity data
- Status and summary of preventive and corrective actions
- Changes that could affect the quality management system
- New or revised regulatory requirements
- Follow-up actions from earlier management reviews
- Recommendation for improvement

9.3.3 Outputs

Management reviews are concluded with setting new quality objective and initiating actions to improve the quality management system, processes, and products.

Results of management reviews are documented in minutes of the management review meeting. The minutes include improvements, actions, and assign responsibilities are allocated to resources for implementation of these actions

10 Improvement

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	35 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

10.1 General

CCA continually improves the effectiveness of the quality management system using the quality policy, quality objectives, audit results, analysis of data, corrective and preventive actions and management review. Operational Procedure SOP-003, Continuous Improvement defines this process.

Internal audit results and quality performance data are analyzed by management review to assess the effectiveness of the quality system and current organizational performance. Opportunities and priorities for improvement are identified by comparing present quality performance to goals and aspirations defined in the quality policy. This process is defined in SOP-002, Management Review.

Improvement projects are defined either as corrective and preventive actions or as quality objectives. These processes are defined in SOP-007, Corrective and Preventive Actions, and SOP-002, Management Review, respectively.

To determine and select opportunities for improvement or to implement any necessary actions to meet the requirements of customers and relevant interested parties, or to enhance customer satisfaction, CCA drives improvement via the analysis of relevant data. The data inputs for the improvement process include:

1. Risk and opportunity evaluations.
2. Assessment of the changing needs and expectations of interested parties.
3. The conformity of existing products and services.
4. The effectiveness of our QMS.
5. Supplier performance.
6. Levels of customer satisfaction, including complaints and feedback.
7. Internal and external audit results.
8. Corrective action and non-conformance rates.

10.2 Non-conformity & Corrective Action

Customer complaints

Customer complaints that allege deficiencies related to the identity, quality, durability, reliability, safety, effectiveness, or performance of a product are logged and documented.

Complaints that involve a possible failure of a product, labeling, or packaging to meet any of its specifications are always investigated, and the results of the investigation are documented.

The system for receiving, logging, investigating, and responding to customer complaints is defined in PWI-85-02, Customer Feedback and Complaints.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	36 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					



This confidential document and the copyright therein are the property of Custom Components and Assemblies and may not be used, copied, or disclosed to any third party without the prior authorization of CCA.

Corrective and preventive action

Corrective actions are taken to eliminate causes of actual nonconformities to prevent their recurrence.

Preventive actions are implemented to eliminate causes of potential nonconformities to prevent their occurrence.

The process for taking corrective and preventive actions includes requirements for:

- Reviewing nonconformities and potential nonconformities,
- Determining causes for actual and potential nonconformities,
- Evaluating the need for action to ensure that nonconformities do not recur and that potential nonconformities are prevented,
- Determining and implementing actions needed, including, if appropriate, updating documentation,
- Recording the results of any investigations and of actions taken, and
- Reviewing the corrective or preventive action taken and its effectiveness.

This process is defined in Operational Procedure SOP-006, Corrective and Preventive Action.

10.3 Improvement

CCA continually improves the effectiveness of its quality management system through the effective application of the company policies, objectives, auditing and data analysis, corrective and preventive actions and management reviews.


The continual improvement process begins with the establishment of our corporate policies and objectives for improvement, based on objectives contained in our business plan and customer targets and goals. Customer satisfaction, internal audit data, process and product performance data, and the cost of poor quality or risk control are then compared against objectives or KPIs to identify additional opportunities for improvement.


The overall effectiveness of continual improvement program, including corrective actions taken, as well as the overall progress towards achieving improvement objectives, are assessed through our management review process.

	Document Title	<i>Quality Manual</i>				
	Document No.	CCA-QM	Rev	C	Page	37 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					


Appendices


A.1 Sequence & Interaction of Process



	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	38 OF 39
If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.						

A.2 Organization Chart



	Document Title	Quality Manual				
	Document No.	CCA-QM	Rev	C	Page	39 OF 39
	If this document is printed and not signed by the approved personnel, then it is an uncontrolled reference document and not to be used other than the intent it was printed for.					